

Historic, archived document


Do not assume content reflects current scientific knowledge, policies, or practices.

2.91 6/23/5

Rare and Unusual
NATIVE PLANTS

from

The Pacific Northwest



Carl S. English, Jr.

10505 First Ave. N. W.

Seattle, Washington

U. S. A.

Telephone: Hemlock 1418

Instructions for Ordering

1. Kindly send remittance with your order unless you have established credit with us.
2. Foreign orders will not be recognized unless accompanied by remittance in full, sent preferably by International Money Order.
3. Add 10% of the total value of your order to cover shipping charges. If you prefer we will send the plants express collect.
4. Three plants of a kind may be purchased for the price of two.
5. We do not substitute items. If we cannot fill your order your money is refunded.
6. Address all orders to
CARL S. ENGLISH, Jr.,
10505 First Ave. N. W. Seattle, Wash.

OUR NATIVE PLANTS are all nursery grown. We have the approval and recommendation of the National Wild Flower Preservation Society. Our plants are all guaranteed to be strong and healthy when they leave us. We cannot, however, guarantee your success in growing them since there are many causes of failure over which we have no control. We are glad to send instructions for planting and care of plants. We make a special effort to keep our nomenclature botanically correct and up to date. Our plants are true to name.

TREES

Acer Douglasii	\$.50
Juniperus communis, var. montana50
Prunus demissa25
Taxus brevifolia50
Thuja plicata ,var. fastigiata50

FERNS

	Each
<i>Asplenium viride</i>	\$.50
<i>Athyrium alpestre</i> , var. <i>americanum</i>35
<i>Athyrium filix-femina</i> , var. <i>sitchensis</i>25
<i>Cheilanthes gracillima</i>50
<i>Cryptogramma acrostichoides</i>25
<i>Pellaea densa</i>50
<i>Pityrogramma triangularis</i>50
<i>Polypodium vulgare</i> , var. <i>occidentale</i>25
<i>Polystichum Andersoni</i>	1.50
<i>Polystichum Lemmoni</i>	1.00
<i>Polystichum Lonchitis</i>50
<i>Polystichum munitum</i>25
<i>Polystichum munitum</i> , var. <i>inbricans</i>50
<i>Polystichum scopulinum</i>75
<i>Thelypteris arguta</i>50
<i>Thelypteris Dryopteris</i>25
<i>Thelypteris oregana</i>75
<i>Thelypteris oreopteris</i>75
<i>Thelypteris phegopteris</i>50
<i>Thelypteris spinulosa</i> , var. <i>dilatata</i>25

FERN ALLIES

<i>Botrychium silaifolium</i>25
<i>Lycopodium lucidulum</i>50
<i>Selaginella Wallacei</i>25

BULBS

<i>Allium amplexens</i> , doz.	\$1.00
<i>Allium acuminatum</i> , doz.	1.00
<i>Allium cernuum</i> , doz.50
<i>Allium Douglasii</i> , doz.	1.00
<i>Brodiaea coronaria</i> , doz.	1.00
<i>Brodiaea lactea</i> , doz.	1.00
<i>Brodiaea pulchella</i> , doz.	1.00
<i>Camassia azurea</i> , doz.	1.00
<i>Camassia Leichtlinii</i> , doz.	1.00
<i>Fritillaria pudica</i> , doz.	1.00
<i>Lilium columbianum</i> , doz.	1.00
<i>Trillium chloropetalum</i> , each25
<i>Trillium ovatum</i> , doz.	1.00
<i>Trillium petiolatum</i> , doz.	1.00
<i>Zygadenus venenosus</i> , 3 for25

ALPINES, ROCK PLANTS, PERENNIALS, AND SHRUBS

<i>Aconitum columbianum</i>25
<i>Aconitum Howellii</i>50
<i>Anemone Drummondii</i>50
<i>Anemone hudsoniana</i>50

	Each
<i>Anemone occidentalis</i>	.50
<i>Anemone parviflora</i>	.75
<i>Antennaria lanata</i>	.25
<i>Antennaria rosea</i>	.25
<i>Aquilegia formosa</i>	.25
<i>Arnica betonicaefolia</i>	.25
<i>Artemesia Michauxiana</i>	.25
<i>Artemesia Wormskjoldii</i>	.25
<i>Asarum caudatum</i>	.25
<i>Asarum Hartwegi</i>	.50
<i>Aster Aliceae</i>	.25
<i>Aster foliaceus, var. frondeus</i>	.25
<i>Aster paucicapitatus</i>	.25
<i>Aster pulchellus</i>	.25
<i>Bolandra oregana</i>	.50
<i>Caltha biflora</i>	.25
<i>Caltha leptosepala</i>	.25
<i>Campanula Piperi</i>	1.00
<i>Cardamine angulata</i>	.35
<i>Cassiope Mertensiana</i>	1.00
<i>Cimicifuga elata</i>	.25
<i>Cimicifuga laciniata</i>	.50
<i>Cladothamnus pyrolaeflorus</i>	3.00
<i>Claytonia megarhiza</i>	.50
<i>Claytonia Sweetseri</i>	.25
<i>Clematis columbiana</i>	1.00
<i>Clematis hirsutissima</i>	1.00
<i>Coptis laciniata</i>	.25
<i>Cornus canadensis</i>	.35
<i>Corydalis Scouleri</i>	.25
<i>Cynoglossum grande</i>	.35
<i>Cypripedium montanum</i>	.50
<i>Delphinium columbianum</i>	.25
<i>Delphinium glareosum</i>	.50
<i>Delphinium Menziesii</i>	.25
<i>Delphinium trolliifolium</i>	.50
<i>Dicentra formosa</i>	.25
<i>Dicentra oregana</i>	.50
<i>Dodecatheon campestre</i>	.50
<i>Dodecatheon conjugens</i>	.50
<i>Dodecatheon dentatum</i>	.25
<i>Dodecatheon Hendersoni</i>	.25
<i>Dodecatheon Jeffreyi</i>	.25
<i>Dodecatheon pauciflorum</i>	.50
<i>Dodecatheon poeticum</i>	.25
<i>Dodecatheon tetandrum</i>	.25
<i>Douglasia laevigata</i>	.50
<i>Douglasia nivalis</i>	1.00
<i>Draba lonchocarpa</i>	.25
<i>Draba ruaxes</i>	.50
<i>Dryas octopetala</i>	.25
<i>Empetrum nigrum</i>	.50
<i>Epipactis decipiens</i>	.25
<i>Erigeron aureus</i>	.35
<i>Erigeron filifolius</i>	.35
<i>Erigeron Howellii</i>	.25

	Each
<i>Erigeron philadelphicus</i>25
<i>Erigeron salsuginosus</i>25
<i>Erigeron salsuginosus</i> , var. <i>an-</i> <i>gustifolius</i>25
<i>Erigeron simplex</i>50
<i>Erigeron speciosus</i>25
<i>Erigeron Thompsoni</i>25
<i>Erigeron trifidus</i>25
<i>Eriogonum umbellatum</i>25
<i>Gaultheria humifusa</i>50
<i>Gentiana affinis</i>50
<i>Gentiana calycosa</i>50
<i>Gentiana sceptrum</i>50
<i>Geranium incisum</i>25
<i>Geranium oreganum</i>25
<i>Geranium viscosissimum</i>25
<i>Geum campanulatum</i>50
<i>Geum ciliatum</i>25
<i>Geum Rossii</i>50
<i>Gormania Watsoni</i>50
<i>Haplopappus Lyallii</i>50
<i>Harrimanella stelleriana</i>	1.00
<i>Hedysarum occidentale</i>50
<i>Heuchera glabella</i>25
<i>Heuchera glabra</i>35
<i>Heuchera micrantha</i>25
<i>Heuchera ovalifolia</i>25
<i>Heuchera racemosa</i>50
<i>Iris Douglasiana</i>50
<i>Iris innominata</i> (lavender)75
<i>Iris missouriensis</i>50
<i>Iris tenax</i>25
<i>Kalmia polifolia</i> , var. <i>micro-</i> <i>phylla</i>	1.00
<i>Ledum groenlandicum</i>50
<i>Lepargyrea canadensis</i>50
<i>Leptarrhena pyrolaefolia</i>50
<i>Lewisia columbiana</i>25
<i>Lewisia columbiana</i> (rose)35
<i>Lewisia Finchae</i>35
<i>Lewisia Howellii</i>35
<i>Lewisia Leana</i>35
<i>Lewisia pygmaea</i>25
<i>Lewisia rediviva</i>25
<i>Lewisia Tweedyi</i>50
<i>Lithophragma parviflora</i>25
<i>Lithophragma tenella</i>25
<i>Luetkea pectinata</i>25
<i>Luina hypoleuca</i>50
<i>Lupinus Lyallii</i>35
<i>Mertensia pubescens</i>50
<i>Mertensia laevigata</i>25
<i>Mertensia paniculata</i> , var. <i>sub-</i> <i>cordata</i>25
<i>Mimulus Lewisii</i>25
<i>Parnassia fimbriata</i>35

	Each
<i>Parnassia intermedia</i>50
<i>Paeonia Brownii</i>50
<i>Penstemon albertinus</i>50
<i>Penstemon amabilis</i>25
<i>Penstemon adamsonianus</i>50
<i>Penstemon Barrettae</i>50
<i>Penstemon Cardwelli</i>35
<i>Penstemon deuscaus</i>25
<i>Penstemon euglaucus</i>25
<i>Penstemon fruticosus</i>25
<i>Penstemon grandiflorus</i>25
<i>Penstemon Menziesii</i>25
<i>Penstemon Menziesii</i> , var. <i>Davidsoni</i>25
<i>Penstemon ovatus</i>25
<i>Penstemon Richardsonii</i>25
<i>Penstemon rupicola</i>35
<i>Penstemon speciosus</i>35
<i>Penstemon Tolmiei</i>25
<i>Penstemon Tolmiei</i> (white)25
<i>Penstemon venustus</i>35
<i>Penstemon Wilcoxii</i>25
<i>Petasites nivalis</i>35
<i>Phacelia sericea</i>50
<i>Phlox adsurgens</i>50
<i>Phlox caespitosa</i>25
<i>Phlox lanceolata</i>75
<i>Phlox longiflora</i> <i>longifolia</i>75
<i>Phlox rigida</i>	1.00
<i>Phyllodoce empetriformis</i>	1.00
<i>Phyllodoce glanduliflora</i>	1.00
<i>Polemonium amoenum</i>25
<i>Polemonium carneum</i>25
<i>Polemonium elegans</i>	1.00
<i>Polemonium occidentale</i>25
<i>Polemonium parvifolium</i>50
<i>Iris innominata</i> (yellow)	1.50
<i>Polemonium pulcherrimum</i> , var. <i>delicatum</i>25
<i>Polygonum bistortoides</i>25
<i>Potentilla anserina</i>25
<i>Potentilla Blaschkeana</i>25
<i>Potentilla Drummondii</i>25
<i>Potentilla flabellifolia</i>25
<i>Potentilla fruticosa</i> , var. <i>tenuifolia</i>50
<i>Potentilla glaucophylla</i>25
<i>Potentilla Gordoni</i>50
<i>Potentilla gracile</i>25
<i>Potentilla pacifica</i>25
<i>Potentilla pseudorupestris</i>35
<i>Potentilla villosa</i>50
<i>Pyrola minor</i>50
<i>Rainieria stricta</i>50
<i>Ranunculus adoneus</i>50

	Each
<i>Ranunculus alismaefolius</i>	.50
<i>Ranunculus Eschscholtzii</i>	.25
<i>Ranunculus giaberrimus</i>	.25
<i>Ranunculus occidentalis</i>	.25
<i>Rhodiola integrifolia</i>	.50
<i>Rhododendron albiflorum</i>	1.00
<i>Rhododendron californicum</i>	.50
<i>Rhododendron occidentale</i>	.50
<i>Ribes Lobbii</i>	1.50
<i>Romanzoffia sitchensis</i>	.25
<i>Rubus lasiococcus</i>	.25
<i>Rubus pedatus</i>	.25
<i>Rubus nivalis</i>	.50
<i>Saxifraga aestivalis</i>	.50
<i>Saxifraga arguta</i>	.50
<i>Saxifraga austromontana</i>	.50
<i>Saxifraga caespitosa</i>	.25
<i>Saxifraga ferruginea</i>	.25
<i>Saxifraga integrifolia</i>	.25
<i>Saxifraga Lyallii</i>	.50
<i>Saxifraga Mertensiana</i> , var. <i>glandipilosa</i>	.25
<i>Saxifraga oppositifolia</i>	.50
<i>Saxifraga peltata</i>	1.00
<i>Saxifraga rufidula</i>	.25
<i>Saxifraga vespertina</i>	.50
<i>Sedum divergens</i>	.25
<i>Sedum stenopetalum</i>	.25
<i>Sedum spathulifolium</i>	.25
<i>Senecio Elmeri</i>	.50
<i>Senecio Fletti</i>	.25
<i>Senecio Websteri</i>	.50
<i>Sidalcea campestris</i>	.35
<i>Sidalcea Hendersoni</i>	.25
<i>Silene acaulis</i>	.25
<i>Silene Scouleri</i>	.25
<i>Sisyrinchium californicum</i>	.25
<i>Sisyrinchium birameum</i>	.25
<i>Sisyrinchium Douglasii</i>	.25
<i>Sisyrinchium Douglasii</i> (white)	.50
<i>Sisyrinchium inflatum</i>	.25
<i>Solidago algida</i>	.25
<i>Solidago bellidifolia</i>	.25
<i>Solidago elongata</i>	.25
<i>Sphaeralcea munroana</i>	.50
<i>Spiraea cinerascens</i>	1.00
<i>Spiraea densiflora</i>	.25
<i>Spiraea Hendersoni</i>	1.00
<i>Spraguea multiceps</i>	.25
<i>Steironema ciliatum</i> , var. <i>occidentale</i>	.25
<i>Suksdorfia ranunculifolia</i>	.25
<i>Synthyris lanuginosa</i>	.50
<i>Synthyris reniformis</i>	.50
<i>Synthyris reniformis</i> , var. <i>major</i>	.75
<i>Synthyris rotundifolia</i>	.25

	Each
<i>Synthyris rotundifolia</i> , large-flowered50
<i>Synthyris rotundifolia</i> , var. Sweetseri50
<i>Synthyris schizantha</i>75
<i>Synthyris stellata</i>50
<i>Synthyris stellata</i> (white)	1.00
<i>Talinum spinescens</i>25
<i>Thlaspi alpestre</i>25
<i>Tiarella trifoliata</i>25
<i>Tiarella unifoliata</i>25
<i>Trollius laxus</i>25
<i>Vaccinium ovatum</i>50
<i>Valeriana columbiana</i>50
<i>Valeriana edule</i>50
<i>Valeriana sitchensis</i>25
<i>Vancouveria hexandra</i>25
<i>Veronica Cusickii</i>25
<i>Veronica Wormskjoldii</i>25
<i>Viola adunca</i>25
<i>Viola Fletti</i>50
<i>Viola glabella</i>25
<i>Viola praemorsa</i>25
<i>Viola rugulosa</i>25
<i>Viola trinervata</i>25

EASTERN AND EXOTIC PLANTS

<i>Anemone sylvestris</i>25
<i>Achillea umbellata</i>50
<i>Adenophora diplobonta</i>25
<i>Artemesia splendens</i>25
<i>Epigaea repens</i>50
<i>Gentiana acaulis</i>50
<i>Geum montanum</i>50
<i>Geum Peckii</i>50
<i>Iris cristata</i>50
<i>Iris gracilipes</i>50
<i>Iris lacustris</i>50
<i>Luzhnis alpina</i>25
<i>Petrocoptis pyrenaica</i>50
<i>Primula Burmanica</i>25
<i>Primula crispata</i>25
<i>Primula farinosa</i>25
<i>Primula Florindae</i>25
<i>Primula Juliae</i>35
<i>Primula japonica</i>25
<i>Primula Mooreana</i>25
<i>Polystichum Braunii</i>50
<i>Ranunculus gramineus</i>50
<i>Sanguinaria canadensis</i>25
<i>Saxifraga apiculata</i>50
<i>Saxifraga cotyledon</i>25
<i>Saxifraga lingulata</i>50
<i>Saxifraga pulchella</i>25
<i>Phlomis ferruginea</i>25
<i>Valeriana montana</i>50